



# NTPT NTK BEARINGS CO.,LTD.

## TYPE TS



## Timken Im11749 Bearing

Bearing No. Im11749

Cone Part Number	LM11749
Design Units	Imperial
Cage Type	Stamped Steel
C1 - Dynamic Radial Rating (Two-Row, 1 million revolutions) <sup>1</sup>	11500 lbf
C90(2) - Dynamic Radial Rating (Two-Row, 90 million revolutions) <sup>2</sup>	2980 lbf
d	0.6875 in
B - Cone Width	0.5750 in
R - Cone Backface To Clear Radius <sup>3</sup>	0.050 in
da - Cone Frontface Backing Diameter	0.87 in
db - Cone Backface Backing Diameter	0.94 in
Ab - Cage-Cone Frontface Clearance	0.05 in
Aa - Cage-Cone Backface Clearance	0 in
a - Effective Center Location <sup>4</sup>	-0.2 in
C90 - Dynamic Radial Rating (90 million revolutions) <sup>5</sup>	1710 lbf
C1 - Dynamic Radial Rating (1 million revolutions) <sup>6</sup>	6600 lbf
C0 - Static Radial Rating	5260 lbf
C <sub>a90</sub> - Dynamic Thrust	838 lbf

Im11749 Bearing 2D drawings and 3D CAD models



## NTPT NTK BEARINGS CO.,LTD.

Rating (90 million revolutions) <sup>7</sup>	
K - Factor <sup>8</sup>	2.04
G1 - Heat Generation Factor (Roller-Raceway)	4.8
G2 - Heat Generation Factor (Rib-Roller End)	4.74
Cg - Geometry Factor	0.0392